


Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	

01

Worklight Dual Power



Dual power worklight for use on construction sites, in general maintenance, workshops etc.

Light Output

Single button controlled variable output. Simply push button to change from 50% to full 100% intensity

	LITHIUM ION BATTERY		AC SUPPLY
INTENSITY	100%	50%	100%
LUMEN	2800	1400	2800
RUN TIME	2 hours	4 hours	-

Cool Light

Finned design reduces heating up of light

Sturdy Construction

- a. **IP 54 Rated**
Protected against dust and effects of water spray from any direction
- b. **IK 07 Rated**
Impact-proof & corrosion resistant aluminium die cast housing in premium powder coated finish. Rubberised edge guards make the light resistant to shocks and vibration – common in on any jobsite

Versatile Use


Can be used as:

- a. Free standing worklight with mounting bracket
- b. On magnetic base - removable magnetic base can be attached onto any metallic surface leaving both hands free
- c. On tripod stand to light overhead work or minimise shadows when directing the light downwards.

Charge Your Phone

Rechargeable and removable battery pack also doubles as a power bank

DUAL POWER SOURCE



7.4V 4400 mAh

220V AC, 50Hz
115 V AC, 60Hz



LED-670
Worklight




Portable



Mounting bracket pivots full 180° to focus light as required

CE
RoHs
IK07



LED-670T
 Telescopic Tripod
 Stand Mounting

1m - 1.68m
 (39-1/2" - 66")



Rechargeable
 Li-ion battery



In-built power bank to charge mobile
 devices




AC Supply



ORDERING INFORMATION

CAT NR.	ORD NR.	DESCRIPTION	SIZE (LxHxD)		BOX QTY.
			(INCH)	(MM)	
LED/670	55050	Worklight	9.5 x 10 x 5	24 x 26 x 13	4
LED/670T	55077	Worklight complete with tripod	46 x (48 to 75-1/2) x 46	117 x (122 - 192) x 117	4





Powerful multi-directional flooding output

Light Output

Twin heads deliver high quality, uniform illumination upto 4500 Lumens

Single button controlled multiple settings for optimized control over output and run-time

	1ST PRESS	2ND PRESS	3RD PRESS	4TH PRESS
INTENSITY	25%	50%	75%	100%
LUMENS	750	1500	3000	4500
RUN TIME	12 hours	6 hours	3.5 hours	2 hours

Sturdy Construction

a. IP 54 Rated

Protected against dust and effects of water spray from any direction

b. IK 07 Rated

Impact-proof nylon body and handle with sturdy polycarbonate lens will stand-up to tough jobsite conditions

Versatile Use

Can be used as

1. Compact and portable, free standing floodlight bright enough to light up large areas
2. On tripod stand to light overhead work and minimize shadows when directing the light downwards

Replaceable battery back gives infinite life to the worklight. Light has a working life upto 100,000 hours of use


Charging of Battery

100-240V—20V 1.1A charger (included)

Charge Your Phone

Rechargeable and removable battery pack doubles up as a power bank

POWER SOURCE



14.8V 5200 mAh



LED-680
Floodlight



0.7m - 1.7m
(27-1/2" - 67")


LED-680T
Floodlight
complete with
tripod

CE
RoHS
IK07

TURN, TWIST TO FOCUS AS REQUIRED



Duo Play



180° Horizontal



90° Vertical

SUPER HEAVY DUTY POWER TOOL BATTERY PACK



14.8V 5200mAh Li-ion Super Heavy Duty Power Tool Battery Pack




Battery Level Indicator via 5 LED's





In-Built Power Bank to charge mobile devices

ORDERING INFORMATION

CAT NR.	ORD NR.	DESCRIPTION	SIZE (L×H×D)		BOX QTY.
			(INCH)	(MM)	
LED/680	55089	Floodlight	11-3/16 × 7 × 5-1/8	288 × 176 × 131	1
LED/680T	55090	Floodlight complete with tripod	11-3/16 × (27-1/2 to 67) × 5-1/8	288 × (699 to 1702) × 131	1





Powerful rechargeable COB worklight designed for the professional user

Available in two versions

- a. **LED-550** 10W COB
- b. **LED-560** 20W COB

Light Output

Single button controlled variable output. Simply push button to change from 50% intensity to full 100% power

Sturdy Construction

- a. **IP 54 Rated**
Protected against dust and effects of water spray from any direction
- b. **IK 07 Rated**
Impact proof & corrosion resistant aluminium die cast housing in premium powder coated finish with rubberised edge guards make it resistant to shocks and vibration – common on any jobsite

Versatile Use

Can be used as:

- a. Free standing worklight with mounting bracket that can be rotated 180° to focus light in need
- b. Attached to any metallic surface using the magnetic base plate. The magnetic base plate can be easily removed
- c. Hung from a scaffolding, bracket Handle is designed for direct mounting on the scaffolding bracket leaving both hands free for any other job

Complete with USB cable & magnet holder

Charging of Battery


Battery can be recharged using standard USB cable provided with the light

Charge Your Phone

Rechargeable and removable battery pack also doubles up as a power bank



LED-550
10W COB



INTENSITY	100%	50%
LUMEN	1000	500
RUN TIME	3 hours	6 hours

POWER SOURCE



3.7V 4400 mAh

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (L×H)		BOX QTY.
		(INCH)	(MM)	
LED/550	55046	6-11/16 × 5	170 × 125	10

LED-550

LED-560

CE
RoHS
IK07



Use magnetic base to attach to any metallic surface



Mounting bracket can be rotated 180°




Impact Resistant




In-built power banks to charge mobile devices

LED-560
20W COB



INTENSITY	100%	50%
LUMEN	2000	1000
RUN TIME	3 hours	6 hours


POWER SOURCE



7.4V 4400 mAh


ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxH)		BOX QTY.
		(INCH)	(MM)	
LED/560	55047	7-9/32 x 5-1/2	185 x 140	8



04

Slim Worklight 360° Swivel



Super slim worklight for tight, cluttered and difficult to reach workspaces

Integrated

- a. 6W COB Worklight
- b. 1W Top Torch

User controlled output

Adjust light intensity from 0-600 lumen by rotating knob

Sturdy Construction

- a. **IP 54 Rated**
Protected against dust and effects of water spray from any direction
- b. **IK 07 Rated**
Impact proof ABS body
 - a. Sturdy polycarbonate lens to withstand the toughest of job site conditions
 - b. Nylon hook with ratcheting mechanism can be rotated full 360° for convenient placement of light as required

Swivel & tilt design

Patented 360° swivel & tilt mechanism. Ball joint mechanism allows

- a. Swivelling of light full 360°
- b. Tilt

Hands Free Operation


Three rubber covered magnets at the rear end to affix light on any metallic surface leaving both hands free

Charging of Battery


Battery can be recharged using standard USB cable provided with the light



POWER SOURCE



3.7V 2600 mAh



LED-370

BRING IN THE LIGHT!

CE
RoHs
IK07



	WORKLIGHT	TOP TORCH
INTENSITY	100%	
LUMEN	600	120
RUN TIME	1.5 hours	10 hours

SWIVEL & TILT DESIGN





Patented 360° Swivel & tilt design with stainless steel joint



Rotating Hook with ratcheting mechanism

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (L×H×D)		BOX QTY.
		(INCH)	(MM)	
LED/370	55042	15-11/32 × 1-37/64 × 1-3/8	390 × 40 × 35	15





CE
RoHS
IK07

Multi-function, powerful worklight & spotlight in one

Integrated

- a. 7 SMD Worklight
- b. 3W LED Top Torch

Light Output

	LUMEN	RUN TIME	LUMEN	RUN TIME
INTENSITY	HIGH		LOW	
WORKLIGHT	400	3 hours	200	7 hours
TOP TORCH	120 lumen with a run time of 8 hours			

Sturdy Construction

- a. **IP 54 Rated**
Protected against dust and effects of water spray from any direction
- b. **IK 07 Rated**
Impact proof ABS body
- c. Sturdy polycarbonate lens to withstand the toughest of job site conditions
- d. Nylon hooks with ratcheting mechanism can be rotated full 360° for convenient placement of light

Swivel & tilt design

Patented 360° swivel & tilt mechanism. Ball joint mechanism allows

- a. Swivelling of light full 360°
- b. Tilt


Hands Free Operation

Three magnets; two on the rear of the light & one on the end, can be attached to any metallic surface leaving both hands free

Charging of Battery

Battery can be recharged using standard USB cable provided with the light

POWER SOURCE



3.7V 2200 mAh

ORDERING INFORMATION


CAT NR.	ORD NR.	SIZE (L×H×D)		BOX QTY.
		(INCH)	(MM)	
LED/360	55037	10 × 2-9/32 × 1-57/64	254 × 58 × 48	12



Patented 360° swivel & tilt design with stainless steel ball joint



2 fold out 360° swivelling hooks for easy installation



NEW!

CE
RoHS
IK07

Multifunction worklight with powerful bluetooth speakers

Light Output

	1ST PRESS	2ND PRESS	3RD PRESS	4TH PRESS
LUMEN	400	1000	2000	4000
RUN TIME	20 hours	10 hours	6 hours	3 hours

Powerful Bluetooth Speaker

Superior sound quality bluetooth speaker with range upto 10 meter (32') for endless music at work. Compatible with Android & IOS

Press and hold the ON/OFF button to switch on Bluetooth and connect to "Audio Floodlight" from your phone

Durable Construction

- a. **IP 65 Rated**
Protected against dust and effects of low pressure water jets from any direction
- b. **IK 07 Rated**
Tough & impact proof composite ABS body makes it suitable for rugged applications
- c. 360° Rotating hook for convenient placement of light

Charging of Battery


Battery can be recharged using dual voltage (110V-240V) AC adaptor

Charge Your Mobile Device

USB output port for use as power bank



POWER SOURCE



11.1V 5200 mAh

ORDERING INFORMATION


CAT NR.	ORD NR.	SIZE (L×H×D)		BOX QTY.
		(INCH)	(MM)	
LED/690	55093	8-1/4 × 8-1/4 × 4	210 × 210 × 100	10



140° Vertical rotation




Hanging steel hook in base



07

Sitelamp 360° Swivel

LED-660



CE
RoHS

Multi-mode super bright 36W 72 SMD site lamp

Light Output

Single button controlled high quality output in multiple modes

INTENSITY	HIGH	MEDIUM	LOW
LUMEN	3000	1500	750
RUN TIME	1.5 hours	2.5 hours	5 hours

Sturdy Construction

a. IP65 Rated

Protected against dust and effects of low pressure water jets from any direction

- b. Corrosion resistant aluminium die cast construction in premium powder coated finish
- c. Impact proof ABS frame
- d. Tempered glass lens
- e. Steel handle with foam grip
- f. Sturdy steel stand for balanced positioning in the toughest of job site conditions

Swivel & tilt design

Patented 360° swivel & tilt mechanism. Ball joint mechanism allows

- a. Swivelling of light full 360°
- b. Tilt


Charging of Battery

Battery can be recharged using dual voltage (110V-240V) AC adaptor

Charge Your Phone

Rechargeable and removable battery pack also doubles as a power bank

POWER SOURCE



7.4V 4400 mAh

ORDERING INFORMATION


CAT NR.	ORD NR.	SIZE (L×H×D)		BOX QTY.
		(INCH)	(MM)	
LED/660	55043	8.7 × 8.7 × 12.2	223 × 223 × 309	8



Tilt & swivel to 360°




3 LED battery level indicator



08

Inspection Lamp Unbreakable

LED-345



Light Output

Single button controlled variable output

INTENSITY	HIGH	MEDIUM	LOW
LUMEN	650	400	200
RUN TIME	4 hours	6 hours	11 hours

In-built overcharge/discharge control with automatic cut-off enhances battery life & performance

Construction

- Lightweight yet rugged aluminium tubing with TPR grip makes it impact resistant
- 2 ratcheting hooks with 360° swivel movement

Hands free usage

Removable clamp with magnetic end to attach light to any metallic surface leaving both hands free


Charging of Battery

Battery can be recharged using standard USB cable provided with the light

Charging level indicators clearly marked

- a. **GREEN:** Full Charge
- b. **RED:** Charging in process


POWER SOURCE



3.7V 4400 mAh

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/345	55040	18 x 3-3/16 x 2-49/64	458 x 81 x 70	10





CE
RoHs
IK07

Unique 360° design

Integrated

Dual head worklight 5W COB on each side use both together or separately as needed

User controlled output

Adjust light intensity from 50-500 lumens (on each light) by rotating knob

	1ST PRESS	2ND PRESS	3RD PRESS
	FRONT WORKLIGHT	BACK WORKLIGHT	BOTH LIGHTS
LUMEN	500	500	1000
RUN TIME	2-16 hours	2-16 hours	1-8 hours

Sturdy Construction

- IP 54 Rated**
Protected against dust and effects of water spray from any direction
- IK 07 Rated**
Impact proof ABS body
- Sturdy polycarbonate lens to withstand the toughest of job site conditions
- Nylon hook with ratcheting mechanism can be rotated full 360° for convenient placement of light as required
- Built-in magnet on top of the light to pickup small metallic parts

Direct light as needed

Heavy-duty flexible neck can be rotated & bent 360° horizontally & vertically

Hands Free Operation

Strong magnet on base for direct attachment on any metallic surface

Charging of Battery



- Type C fast charging protected by rubberized bezel.
- Charge indicated by 3 LED's, each showing 33% of battery



ORDERING INFORMATION

CAT NR.	SIZE (L×H×D)	
	(INCH)	(MM)
LED/186	16-21/32 × 2-37/64 × 1-3/4	423 × 65.5 × 44.5


Power Source



10

10W COB Underhood Light

LED-355



CE
RoHS

Slim & compact underhood light, shines brighter & lasts longer

Light Output

Single button, user controlled light output

	1ST PRESS	2ND PRESS
	HIGH	LOW
LUMEN	1000	400
RUN TIME	2 hrs	5 hrs



Sturdy Construction

IK07 Rated

- Impact resistant ABS body built to withstand the toughest environments
- 360° swivelling hooks resist wear and provide a scratch-proof grip
- Sturdy polycarbonate lens withstands tough jobsite conditions
- Light can be rotated easily to direct beam on the job, as required



Hands free: Strong magnets on both ends attach onto metallic surfaces leaving both hands free

Hands Free Operation


Strong magnets on both ends for easy attachment on any metallic surface leaving both hands free.

Charging of Battery

- Type-C fast charging protected by rubberized bezel.
- Charge indicated via 4 LED's, each showing 25% charge
- Comes complete with USB cable




Type C Charging Port



360° Swivelling Hooks


Power Source



7.4V 2600 mAh

ORDERING INFORMATION


CAT NR.	SIZE (LxHxD)	
	(INCH)	(MM)
LED/355	19-11/16 x 1-31/32 x 1-39/64	500 x 50 x 41



11

Underhood Light

Expandable



Expandable Length
1.2m -1.76m (47"-69")

Super bright under-hood light for powerful illumination of the entire engine bay. Shines brighter, grips stronger & outlasts most other lights!

15W COB Under-hood Light

3 powerful COB lamps of 5W each

Light Output

Single button, user controlled light output

INTENSITY	HIGH	MEDIUM	LOW
NR. OF LAMPS USED	3	2	1
LUMEN	1000	700	350
RUN TIME	3 hours	5 hours	7 hours

Sturdy Construction

- Aluminium extruded body with ABS coating
- Soft padded aluminium hooks resist wear and provide scratch proof grip. Large gripping surface provides larger contact for better positioning when mounting the light under-hood, undercarriage or elsewhere
- 3 light bulbs with sturdy polycarbonate lens to withstand the toughest of job site conditions
- Fully adjustable bulbs can be rotated 40° to provide optimum light angle to the job

Expandable Length

1.2m -1.76m (47"-69")


This covers wide cars & trucks, making it a perfect choice for mechanics working in automotive shops or fleet maintenance

Charging of Battery


Battery can be recharged using in-built USB charging port

Complete with 5' long cable for uninterrupted charging even when light is in use & AC power adaptor

POWER SOURCE




3.7V 5200 mAh



USB charging port with LED charge indicators



Light bulbs pivot independently to direct light as needed



ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/351	55084	47 × 3 × 2-3/8	1210 × 75 × 60	1

12

Worklight Induction Charged



Integrated

- a. 10W COB worklight
- b. 2W SMD top torch

Light Output

High quality light output in multiple modes

	LUMEN	RUN TIME	LUMEN	RUN TIME	LUMEN	RUN TIME
INTENSITY	HIGH		MEDIUM		LOW	
WORKLIGHT	1000	1.5 hours	500	2.5 hours	250	5 hours
TOP TORCH	120 lumen with a run time of 8 hours					

Sturdy Construction

a. IP 65 Rated

Protection against dust and effects of pressure jets from any direction

b. IK 07 Rated

Impact-proof with ABS body

Sturdy polycarbonate lens to withstand the toughest of jobs site conditions

Nylon hook with 360° rotating action for convenient placement of light

Swivelling Magnetic Base

The base can rotate upto 180° to adjust to the required angle

Strong magnet on the base makes it easy to mount onto any metallic surface for hands free use.

Dual Battery Charging Options

1. Wireless charging using induction charging technology
2. Can also be charged using micro USB cable provided with the light



POWER SOURCE



3.7V 3350 mAh

CE
RoHS
IK07



BATTERY CHARGING OPTIONS



Wireless (Induction) Charging
Can be mounted on metallic surfaces or hung on the wall using nails or hooks



With Micro USB Cable
USB charging port with LED charge indicators



Swivelling Magnetic Base
The base can rotate upto 180° to adjust to the required angle

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxWxD)		BOX QTY.
		(INCH)	(MM)	
LED/375	55085	9 × 2 × 1-5/8	230 × 59 × 41.5	12



13

Worklight UV & Dual Charging



Multifunction, powerful worklight & UV spotlight in one.

Integrated

- a. 10W COB Worklight
- b. 3W UV light

Light Output

User controlled output: Adjust intensity of both worklight & spotlight by pressing on the increase (+) or decrease (-) button

Built-in memory function starts the light at the same intensity as when it was switched off

		LUMEN	RUN TIME
1ST PRESS	UV SPOT LIGHT	-	4-5 hrs
2ND PRESS	WORKLIGHT	550	3-15 hrs
3RD PRESS	CONTINUOUS RED LIGHT		
4TH PRESS	RED FLASHING		

Sturdy Construction

- a. **IP 54 Rated**
Protected against dust and effects of water spray from any direction
- b. Impact proof ABS body with rubber coating
- c. Sturdy polycarbonate lens to withstand the toughest of job site conditions
- d. Nylon hook with 360° rotating action

Swivel & tilt design

Patented 360° swivel & tilt mechanism. Ball joint mechanism allows

- a. Swivelling of light full 360°
- b. Tilt

Hands Free Operation

Strong magnet on the base to mount light onto any metallic surface for hands free use

Type C fast charging

Wireless charging via


- a. Direct charging of light
- b. Docking station

Charge Your Phone

Rechargeable and removable battery pack also doubles up as a power bank



POWER SOURCE



3.7V 2000 mAh

NEW!



Hook

Aluminium fins keep the light cool

USB output port



UV light for detecting engine oil leakage, gas leakage, crack in welding jobs in industrial, automotive, HVAC applications




Fully flexible 360° swivel & tilt design with unique ball joint




Charge Your Mobile Device
USB output port for use as power bank

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (L×H×D)		BOX QTY.
		(INCH)	(MM)	
LED/376U	55105	7-13/16 × 2-1/2 × 1-1/8	198 × 63 × 29	10





3 in 1 worklight with foldable design for difficult to reach & narrow workspaces

Integrated

- a. 4W COB Worklight
- b. 2W SMD Spotlight
- c. 0.5W SMD Top Torch with Magnetic pick-up

COB Worklight

Smart design ensures user controlled output. Adjust light intensity of worklight and spot light by pressing and holding the power button

Magnetic Top torch doubles as a pick-up tool to reach out into narrow holes & crevices

Sturdy Construction

- a. Aluminium body with ABS coating making it robust and impact proof
- b. Sturdy polycarbonate lens to withstand the toughest of job site conditions

c. Compact Folding Design

Fold into a pocket-sized light

Hands Free Operation


Super strong magnet on base help affix the light on any metallic surface leaving both hands free

Unique Clamping Base


Unique spring loaded clamping base to mount on any work surface for hands free usage

Charging of Battery

Type-C fast charging protected by rubberized bezel. Comes complete with USB cable. Charge indicated via 4 LED's, each showing 25% charge



POWER SOURCE



3.7V 2600 mAh

LED-185

BRING IN THE LIGHT!



Press & hold the power button to increase/decrease the intensity of the main worklight

RUN TIME
3 hours
 (at full intensity)
10 hours
 (at lowest intensity)

NEW!

CE
RoHs

Multiple Mode Output

	MODE 1			MODE 2
	1ST PRESS	2ND PRESS	3RD PRESS	DOUBLE PRESS
	MAIN WORKLIGHT	RED LIGHT	TOP TORCH	SPOTLIGHT
LUMEN	400	-	50	150
RUN TIME	3-10 hrs	20 hrs	35 hrs	10 hrs



180° rotating main light folds back into a compact pocket size worklight



90° pivoting action




ORDERING INFORMATION

CAT NR.	SIZE (L×H×D)		BOX QTY.
	(INCH)	(MM)	
LED/185	1-13/16 × 6-1/4 × 1-7/32	46 × 158 × 31	12



15

Worklight Intensity Control



Multi-function, powerful worklight & top torch

Integrated

- a. 5W COB Mainlight
- b. 3W LED Top Torch

Light Output

User controlled output. Adjust light intensity of worklight and top torch by pressing on the + (increase) or - (decrease) buttons

Built-in memory function starts the light at the same intensity as when it was switched off

Durable Construction

- a. Impact proof & water resistant ABS body with rubber coating
- b. 360° rotating hook to suspend light leaving both hands free
- c. Integrated pocket/belt clip

Hands Free Operation

- a. Swivelling stand with super strong magnets to position light on any metallic surface
- b. Magnet on clip can also be used to affix light on any metal surface

Charging of Battery


Battery can be recharged using standard USB cable provided with the light

Charge Your Mobile Device

USB output port for use as power bank



POWER SOURCE



3.7V 2000 mAh



Multiple Mode Output


	1ST PRESS	2ND PRESS	3RD PRESS
	TOP TORCH	WORKLIGHT	BOTH LIGHT OFF
LUMEN	180	350	-
RUN TIME	4 hrs	3 hrs	-



USB output port to charge mobile devices

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE		BOX QTY.
		(INCH)	(MM)	
LED/395	55060	7-9/32 × 2-3/8 × 1-17/64	185 × 60 × 32	50



Worklight

Intensity Control & Battery Display



Multi-function, powerful worklight & top torch

Integrated

- 10W COB Worklight
- 3W LED Top Torch

Light Output

User controlled output. Adjust light intensity of worklight and top torch by pressing ON/OFF buttons continuously

		LUMEN	RUN TIME
1ST PRESS	TOP TORCH	150	3-3.5 hours
2ND PRESS	WORKLIGHT	500	2-3 hours
3RD PRESS	CONTINUOUS RED LIGHT		
4TH PRESS	RED FLASHING		

Durable Construction

- Impact proof & water resistant ABS body with rubber coating
- Integrated pocket/belt clip

Hands Free Operation

- Swivelling magnetic stand with magnet to position light on any metallic surface
- Magnet on clip can also be used to affix light on any metal surface

Charging of Battery


Battery can be recharged using a standard USB cable provided with the light

Charge Your Mobile Device

USB output port for use as power bank



POWER SOURCE



3.7V 2000 mAh

CE
RoHS
IK07




Aluminium fins keeps light cool

Power button



LCD display to show battery percentage




Swivelling Magnetic Stand: Swivel to adjust light to the required angle. Magnetic end to affix light on metallic surface for hands free use



USB output port to charge mobile devices


ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE		BOX QTY.
		(INCH)	(MM)	
LED/396	55088	6-21/32 × 1-47/64 × 1-11/32	169×44×34	20



Worklight

Intensity Control & Bluetooth Speaker



Multi-function, powerful worklight & top torch with a powerful speaker

Integrated

- a. 10W COB Worklight
- b. 3W LED Top Torch

Light Output

User controlled output by pressing the increase (+) or decrease (-) buttons

		LUMEN	RUN TIME
1ST PRESS	TOP TORCH	200	3 hours
2ND PRESS	WORKLIGHT	500	2.5 hours
3RD PRESS	CONTINUOUS RED LIGHT		
4TH PRESS	RED FLASHING		

Powerful Bluetooth Speaker

Superior sound quality bluetooth speaker range upto 10 meter (32') for endless music at work

Press and hold the ON button for switching on the Bluetooth connect to "BT500" from your phone

Durable Construction

Impact proof & water resistant ABS body with rubber coating

Hands Free Operation

180° Swivelling stand with super strong magnets to position light on any metallic surface

Charging of Battery


Type C fast charging with real time display of battery

Charge Your Mobile Device


USB output port for use as power bank



POWER SOURCE




3.7V 2400 mAh



Swivelling Magnetic Stand: Base can swivel upto 180° to adjust to the required angle. Magnetic end helps affix the light for hands free use




To activate Bluetooth, press and hold the ON button for switching on the Bluetooth mode and connect to "BT500" from your phone




USB output port to charge mobile devices

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/397	55092	6-9/64 × 2-23/32 × 1-7/32	156×69×31	10





Multi-function, powerful worklight & top torch

Light Output

High quality output of 160 lumen by main light & focused illumination of 60 lumen by top torch

1ST PRESS	TOP TORCH ON
2ND PRESS	WORKLIGHT ON
3RD PRESS	ALL LIGHTS OFF

Durable Construction

- a. Impact proof & water resistant ABS body with rubber coating
- b. 360° rotating hook to suspend light leaving both hands free
- c. Integrated pocket/belt clip to conveniently store and carry light wherever you go
- d. Swivelling magnetic stand swivels up to 180° to adjust to required angle

Hands Free Operation


- a. Swivelling stand with super strong magnets to position light on any metallic surface
- b. Magnet on clip can also be used to affix light on any metal surface

Charge Time

3 hours. Indicated via LED display


Charging of Battery

Battery can be recharged using a standard USB cable provided with the light



Swivelling Magnetic Stand

POWER SOURCE




3.7V 1200 mAh

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (L×H×D)		BOX QTY.
		(INCH)	(MM)	
LED/390	55059	6-7/64 × 1-37/64 × 1-11/64	155 × 40 × 30	50





CE
RoHS

Super bright, dual function portable worklight & top torch

Integrated

- a. 3W COB Worklight
- b. 1W LED Top Torch

Light Output

High quality output in different modes

	MAIN LIGHT		TOP TORCH	
	LUMEN	RUN TIME	LUMEN	RUN TIME
FULL INTENSITY	180	1.5 hours	65	2 hours


Light Weight & Durable Construction

- a. Impact proof & water resistant ABS body with rubber coating
- b. Integrated Pocket Clip

Hands Free Use

Magnet on clip can be used to affix light on any metal surface

POWER SOURCE



3.7V 800 mAh



85° Adjustable Pocket Clip with magnet to hook onto any magnetic surface

ORDERING INFORMATION




CAT NR.	ORD NR.	SIZE (L×H×D)		BOX QTY.
		(INCH)	(MM)	
LED/335	55057	7-9/32 × 1-25/64 × 13/16	185 × 35 × 20	50



20

Penlight High Power

LED-336



NEW!
CE
RoHS

Super bright, dual function portable Worklight & Top Torch

Light Output

	1ST PRESS		2ND PRESS	
	TOP TORCH		WORKLIGHT	
	LUMEN	RUN TIME	LUMEN	RUN TIME
FULL INTENSITY	180	6 hours	300	2 hours

Light can be adjusted from 30-300 lumens. Press & hold the power button to adjust intensity. SOS Flashing indicates maximum intensity

Light weight & durable construction


- Aluminium body with ABS Coating
- Sturdy polycarbonate lens withstands the toughest of job site conditions
- Integrated pocket clip: Can be hooked onto a pocket / belt for easy mobility & hands free operation.
- Magnet on base can be used to affix light on any metallic surface

Built-in memory function:


Starts light at the same intensity as when it was switched off

Charging of Battery


Battery can be recharged using a standard USB cable provided with the light



POWER SOURCE




3.7V 650 mAh




USB Charging

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/336	55094	29/32 x 6-49/64 x 45/64	23 x 172 x 18	36





CE
RoHS

Powerful 28 SMD portable light for use on construction sites, workshop etc.

Light Output

High quality output of 2100 lumen for maximum coverage of workspace

Cool Light

Finned design reduces heating up of light

Sturdy Construction

- IP 65 Rated**
Protected against dust and effects of pressure jets from any direction
- Corrosion resistant aluminium die-cast housing in premium powder coated finish
- High impact polycarbonate lens to withstand harsh job site conditions
- Complete with 4m long power cord


Portable

Free standing steel stand with cushion grip and adjustable bracket makes it convenient to move light as required in the workspace

Easy Set-up and instant illumination



POWER SOURCE





220V AC, 50Hz
110 V AC, 60Hz



ORDERING INFORMATION

CAT NR.	ORD NR.	PLUG TYPE	SIZE (L×H×D)		BOX QTY.
			(INCH)	(MM)	
LED/602/US	55075	US Pin	9-1/16 × 14-3/16 × 8	230 × 360 × 205	8
LED/602/EU	55069	EU Pin	9-1/16 × 14-3/16 × 8	230 × 360 × 205	8





Powerful 2x30 SMD easy set up tower light for professional users on construction sites, workshops etc.

Light Output

High quality output of 4200 lumen for maximum coverage of workspace

Cool Light


Finned design reduces heating up of light

Sturdy Construction


a. IP 65 Rated

Protected against dust and effects of pressure jets from any direction

- b. Corrosion resistant aluminium die cast housing in premium powder coated finish
- c. Telescopic stand can be extended from 0.8m - 1.72m (31 - 67 inch) to light overhead work or minimise shadows when casting light downwards
- d. Complete with 4m long power cord




POWER SOURCE




220V AC, 50Hz
110 V AC, 60Hz

ORDERING INFORMATION

CAT NR.	ORD NR.	PLUG TYPE	SIZE (LxHxD)		BOX QTY.
			(INCH)	(MM)	
LED/612/US	55076	US Pin	37 x 68-3/32 x 37	940 x 1730 x 940	2
LED/612/EU	55070	EU Pin	37 x 68-3/32 x 37	940 x 1730 x 940	2





4000 lumens worklight with built-in cable reel

Sturdy Construction

- a. **IP 54 Rated**
Protected against dust and effects of water spray from any direction
- b. **IK 07 Rated**
Impact-proof aluminium die cast housing with polycarbonate lens will stand-up to tough jobsite conditions
- c. In-built handle for comfortable grip
- d. Complete with 5m (16ft) cable with a socket useful to connect multiple lights in series for higher illumination

Versatile Use

- a. Free standing worklight with adjustable swivel stand
- b. Attached to any metallic surface using 4 super strong magnets at the back of light



Swivel stand

NEW!


CE

RoHS

IK07



POWER SOURCE



220V AC, 50Hz
110 V AC, 60Hz



90° rotating COB light to focus beam as needed



4 Super strong magnets on the back



3000W Socket on one end, to connect multiple devices like lights, power drill etc. in series

ORDERING INFORMATION

CAT NR.	ORD NR.	PLUG TYPE	BOX QTY.
LED/800/EU	55048	EU	1
LED/800/US	55051	US	1




24

Worklight 270° Swivelling

LED-640

LED-650



Powerful worklight for temporary lighting in construction & maintenance jobs

Dual Colour Output

- White
- Amber

Sturdy Construction

- IP 65 Rated**
Protected against dust and effects of low pressure water jet from any direction
- Corrosion resistant aluminium die cast housing in premium powder coated finish
- 270° pivoting head directs the light beam to the required direction

Available in 2 versions


- LED-640:** with strong & sturdy steel base for balanced positioning in the toughest of environments
- LED-650:** with magnetic base; conveniently attaches to any metallic surface leaving both hands free

Charging of Battery

Battery can be recharged using USB cable provided with the light.



POWER SOURCE



3.7V 6600 mAh

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (L×H×D)		BOX QTY.
		(INCH)	(MM)	
LED/640	55035	5-53/64 × 7-31/32 × 4-59/64	148 × 202 × 125	12
LED/650	55036	5-23/32 × 7-11/64 × 3-21/32	145 × 182 × 93	12




25

Worklight

DC Powered

LED-630




Powerful 15W light for use on off road vehicles, construction equipment, tractors, farm machinery etc.

5 powerful LED's of 3W each

Weather Proof Construction

- a. **IP 67 Rated**
Protected against dust and effects of water immersion up to 1 meter
- b. Corrosion resistant aluminium die cast housing in premium powder coated finish
- c. Sturdy polycarbonate lens to withstand the toughest of job site conditions
- d. Free standing base with magnet attaches conveniently to any metallic surface

POWER SOURCE



12V - 36V



Cigarette plug adaptor




270°
Rotation

To focus light beam as needed

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (L×H×D)		BOX QTY.
		(INCH)	(MM)	
LED/630	55034	3-17/32 × 12-3/8 × 3-27/64	90 × 314 × 87	12




26

Worklight

270° Swivelling with Magnetic Base

LED-621



6 powerful LED's of 3W each

Multiple Working Modes

High intensity, low intensity & SOS flashing

	RUN TIME	LUMEN
HIGH INTENSITY	3 hours	1000
LOW INTENSITY	10.5 hours	300
SOS FLASHING		

Weather Proof Construction

a. IP 65 Rated

Protected against dust and effects of low pressure water jets from any direction


- b. Corrosion resistant aluminium die cast construction in premium powder coated finish
- c. Free standing heavy duty magnetic base
- d. Sturdy polycarbonate lens to withstand the toughest of job site conditions

Ideal For Portable Working

In maintenance, building, construction, mining jobs etc.



POWER SOURCE



3.7V 6600 mAh



Finned design offers excellent heat dissipation




270° Rotation

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (L×H×D)		BOX QTY.
		(INCH)	(MM)	
LED/621	55044	5-1/16 × 9-19/32 × 4	129 × 244 × 100	12





CE
RoHS

Compact retractable flashlight and spotlight in one. Pull to switch On and push back to switch Off

Integrated

- a. 2W COB Flashlight
- b. 1W LED Spotlight

1W LED Top Torch

For focussed illumination over long distances

Light Output

High quality output with wide spread illumination

	FLASHLIGHT	SPOTLIGHT/ TOP TORCH
LUMEN	170	40
RUNTIME	7 hours	14 hours

Sturdy Construction

- a. Impact proof ABS body
- b. Rubberised coating on grip for comfort in use
- c. 90° Tilting Head: Head can be tilted 90° to focus in-built spotlight beam as required

Hands Free Operation


Magnet at rear end of light can be attached to any metallic surface leaving both hands free



Pull up to
Turn on the worklight

Expandable Length
7-31/64 - 10-41/64 inch
(190 mm - 270 mm)

POWER SOURCE



ORDERING INFORMATION

CAT NR.	ORD NR.	BOX QTY
LED/305	55054	20

Twin-head light for endless applications; both indoors and outdoors

High Output

Twin-heads deliver high quality and uniform illumination

Heads can be used separately or both together for all-around illumination

Single push-button controlled output

Sturdy Construction

Impact-resistant nylon body with protective TPR corners

Nylon handle swivels full 360° for adjustment as needed

Handle also doubles up as a stand for convenient placement on a flat surface

Suitable for use in

Automotive, Industrial, Construction, Camping etc.

Available in two versions

a. LED/385


Runs on 4 x AA drycell batteries (included)

b. LED385RM


Runs on 3.7V 5000 mAh lithium polymer battery



LED/385



POWER SOURCE



Multiple Working Modes

	1ST PRESS	2ND PRESS	3RD PRESS
	BOTH LIGHTS ON	LIGHT 1 ON	LIGHT 2 ON
LUMEN	1000	500	500
RUN TIME	3 hrs	6 hrs	6 hrs

ORDERING INFORMATION

CAT NR.	ORD NR.	BOX QTY.
LED/385	55086	10

NEW!

CE

RoHS



LED/385RM


With magnet




5V 1A USB output port to charge mobiles



Hands free magnet on swivel handle can also be used to affix light on any metal surface



POWER SOURCE



3.7V 5000 mAh

Multiple Working Modes


	1ST PRESS	2ND PRESS	3RD PRESS
	BOTH LIGHTS ON	LIGHT 1 ON	LIGHT 2 ON
LUMEN	1000	500	500
RUN TIME	3 hrs	6 hrs	6 hrs

ORDERING INFORMATION

CAT NR.	ORD NR.	BOX QTY.
LED/385RM	55087	10

Swivel Handle





24 LED inspection Lamp

Light Output

Super bright output of 110 lumen


Construction

- a. Impact resistant ABS body
- b. Integrated hook that can be swivelled 360° to position light as required


Hands Free Use

Powerful magnet built into back of light can be affixed onto any metallic surface leaving both hands free

POWER SOURCE




Swivel hook adjusts to different angles



Magnets on the back help affix the light on any metallic surface leaving both hands free

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (L×H×D)		BOX QTY.
		(INCH)	(MM)	
LED/321	55078	8-17/64 × 2-23/64 × 1-11/64	210 × 60 × 30	50



30

Rechargeable Worklight With Jump Starter

LED-346

700

IP54

8 HRS
at lowest intensity

3.5 HRS

395 NM

**CE
RoHS
IK07**

A must have for every car owner!

Jump starts cars up to 3L Gasoline and 2L Diesel Engines.

Light Output

Powerful multiple output with bright and balanced illumination.

	1ST PRESS	2ND PRESS	3RD PRESS
	UV MODE	LOW INTENSITY	HIGH INTENSITY
LUMEN	-	280	700
RUN TIME	13.5 hrs	8 hrs	4 hrs

Integrated with

1. 7W COB Work light
2. 1W UV Light (395 nm)

UV light popularly used to detect engine oil leakage, cracks, AC gas leakage etc.

Robust Construction

- a. IP 54 Rated**
Protected against dust and effects of water spray from any direction
- b. Robust ABS body** makes the light usable even in rugged condition
- c. IK07 Rated**
- d. Smart Clamp** with alligator cables provided with each light comes with overcharge, overcurrent, short circuit, reverse polarity, over temperature and spark free protection
- e. Strong magnetic base** with hook at top and bottom for ease of use



1W UV Top Torch



180° Swivelling Base



Bottom Hang Hook



Magnet on base

2 USB output ports can be used to charge 2 devices simultaneously.

Type C fast charging protected by rubberized bezel


Peak current : 500 A

Can jump start vehicles upto 15 times on a full charge.

ORDERING INFORMATION

CAT NR.	SIZE (LxHxD)	
	(INCH)	(MM)
LED/346	13-5/64 x 2-11/64 x 2-3/32	332 x 55 x 53

Power Source



11.1V 7800 mAh



Conveniently jump start your vehicle with ease

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	