

# Технические характеристики




## По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	

# 44

## Floodlight 12W

LED-505



CE  
RoHS

CREE

### 12W LED Floodlight

4 Powerful LED's of 3W each

### Light Output

High quality output of 840 lumen with a spread of 60° over a distance up to 60 meter

### Weather Proof Construction

#### a. IP67 Rated

Protected against dust and effects of water immersion up to 1 meter

- b. Corrosion resistant aluminium die cast construction in premium powder coated finish
- c. Sturdy polycarbonate lens to withstand the toughest of job site conditions
- d. Corrosion resistant stainless steel bracket


Complete with 8" (200 mm) DC power cord

### Ideal for Outdoor Use

Use on off-road vehicles, construction equipment, tractors, farm machinery, service vans, on mining sites etc.



### POWER SOURCE




10V - 30V



### ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/505	55064	3-5/32 x 3 x 3-7/32	80 x 75 x 82	20






## 45

### Floodlight 15W

LED-501

LED-502



CE  
RoHS

#### 15W LED Floodlight

5 powerful LED's of 3W each

#### Light Output

High quality output of 900 lumen with a powerful flood spread of 60° over a distance up to 10 meter

#### Weather Proof Construction

##### a. IP 67 Rated

- Protected against dust and effects of water immersion up to 1 meter
- b. Corrosion resistant aluminium
- c. die-cast construction in premium powder coated finish
- d. Sturdy polycarbonate lens to withstand the toughest of job site conditions
- e. Corrosion resistant stainless steel bracket

Complete with 20" (500mm) DC power cord


Available as a single piece or set of two

#### Ideal for Outdoor Use

Use on off-road vehicles, construction equipment, tractors, farm machinery, service vans, on mining sites etc.



#### POWER SOURCE




10V - 30V



#### ORDERING INFORMATION


CAT NR.	ORD NR.	DESCRIPTION	SIZE (LxHxD)		BOX QTY.
			(INCH)	(MM)	
LED/501	55016	Single Piece	3-11/32 x 3-11/32 x 1-3/8	85 x 85 x 35	27
LED/502	55026	Set of Two	3-11/32 x 3-11/32 x 1-3/8	85 x 85 x 35	13



## 46

### Floodlight 15W Supercool

LED-520



#### 15W LED Floodlight

5 powerful LED's of 3W each

#### Light Output

Super cool light offers high quality output of 1050 lumen with a powerful flood spread of 60° over a distance up to 10 meter

#### Weather Proof Construction


##### a. IP 67 Rated

- Protected against dust and effects of water immersion up to 1 meter
- b. Corrosion resistant aluminium die-cast construction in premium powder coated finish
- c. Sturdy polycarbonate lens to withstand the toughest of job site conditions
- d. Tight rubber sealing prevents ingress of dust and moisture
- e. Corrosion resistant stainless steel bracket


Complete with 20" (500mm) DC power cord

#### Ideal for Outdoor Use


Use on off-road vehicles, construction equipment, tractors, farm machinery, service vans, on mining sites etc.



#### POWER SOURCE



12V - 60V




#### ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (L×H×D)		BOX QTY.
		(INCH)	(MM)	
LED/520	55027	4 × 4-13/16 × 1-7/8	101 × 122 × 48	12

## 47

### Floodlight 18W Supercool

LED-530



CREE

The most versatile floodlight for any application

#### 18W LED Floodlight

6 powerful LED's of 3W each

#### Light Output

Super cool light offers high quality output of 1200 lumen with a powerful flood spread of 60° over a distance up to 10 meter

#### Weather Proof Construction

##### a. IP67 Rated

Protected against dust and effects of water immersion up to 1 meter

- b. Corrosion resistant aluminium die-cast construction in premium powder coated finish
- c. Sturdy polycarbonate lens to withstand the toughest of job site conditions
- d. Tight rubber sealing prevents ingress of dust and moisture
- e. Corrosion resistant stainless steel bracket


Complete with 20" (500mm) DC power cord

#### Ideal for Outdoor Use

Use on off-road vehicles, construction equipment, tractors, farm machinery, service vans, on mining sites etc.



#### POWER SOURCE




12V - 60V



270°  
Rotation

Directs light beam to required direction



#### ORDERING INFORMATION


CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/530	55028	4-9/32 x 5 x 1-21/32	109 x 127 x 42	12

## 48

## Floodlight

27W

LED-512



CE  
RoHS  
CREE

**High output, super bright illumination over long distances**

**27W LED Floodlight**

9 powerful LED's of 3W each

**Light Output**

High quality output of 1890 lumen with a powerful flood spread of 60° over a distance up to 80 meter

**Weather Proof Construction**

- a. **IP 67 Rated**  
Protected against dust and effects of water immersion up to 1 meter
- b. Corrosion resistant aluminium die- cast construction in premium powder coated finish
- c. Sturdy polycarbonate lens to withstand the toughest of job site conditions
- d. Corrosion resistant stainless steel bracket


Complete with 18" (450mm) DC power cord

**Ideal for Outdoor Use**

Use on off-road vehicles, construction equipment, tractors, farm machinery, service vans, on mining sites etc.



**POWER SOURCE**



9V - 32V





**ORDERING INFORMATION**

CAT NR.	ORD NR.	SIZE (L×H×D)		BOX QTY.
		(INCH)	(MM)	
LED/512	55061	4-1/4 × 4-1/4 × 2-27/32	108 × 108 × 72	20

## 49

### Floodlight 30W

LED-545



CE  
RoHS  
CREE

High output super bright floodlight for 'On-the-Go' use

#### 30W LED Floodlight

6 powerful LED's of 5W each

#### Light Output

High quality output of 2250 lumen with a powerful flood spread of 60° over a distance up to 60 meter

#### Weather Proof Construction

##### a. IP 67 Rated

Protected against dust and effects of water immersion up to 1 meter

- b. Corrosion resistant aluminium die-cast construction in premium powder coated finish
- c. Sturdy polycarbonate lens to withstand the toughest of job site conditions
- d. Corrosion resistant stainless steel bracket


Complete with 8" (200mm) DC power cord

#### Ideal for Outdoor Use

Use on off-road vehicles, construction equipment, tractors, farm machinery, service vans, on mining sites etc.



#### POWER SOURCE



9V - 32V

#### ORDERING INFORMATION


CAT NR.	ORD NR.	SIZE (LxHxD)		BOX QTY.
		(INCH)	(MM)	
LED/545	55065	6 x 2-1/16 x 2-9/32	150 x 52.5 x 56	20



**50**

## Floodlight 45W

**LED-541**



**CE**  
**RoHS**

**High output super bright floodlight for long distance visibility**

### 45W LED Floodlight

15 powerful LED's of 3W each

### Light Output

High quality output of 3150 lumen with a powerful flood spread of 60° over a distance up to 80 meter

### Weather Proof Construction

#### a. IP 67 Rated

Protected against dust and effects of water immersion up to 1 meter

- b. Corrosion resistant aluminium die-cast construction in premium powder coated finish
- c. Sturdy polycarbonate lens to withstand the toughest of job site conditions
- d. Corrosion resistant stainless steel bracket


Complete with 18" (450mm) DC power cord

### Ideal for Outdoor Use

Use on off-road vehicles, construction equipment, tractors, farm machinery, service vans, on mining sites etc.



### POWER SOURCE



9V - 32V



### ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (L×H×D)		BOX QTY.
		(INCH)	(MM)	
LED/541	55063	6-7/32 × 3-23/32 × 3	158 × 95 × 75	12






51

## Floodlight 48W

LED-515



CE  
RoHS

### Brightest floodlight on site

#### 48W LED Floodlight

16 powerful LED's of 3 W each

#### Light Output

High quality output of 3360 lumen with a powerful flood spread up to 60° wide and over a distance up to 80 meter

#### Weather Proof Construction

##### a. IP 67 Rated

Protected against dust and effects of water immersion up to 1 meter

- b. Corrosion resistant aluminium die-cast construction in premium powder coated finish
- c. Sturdy polycarbonate lens to withstand the toughest of job site conditions
- d. Corrosion resistant stainless steel bracket


Complete with 18" (450mm) DC power cord

#### Ideal for Outdoor Use


Use on off-road vehicles, construction equipment, tractors, farm machinery, service vans, on mining sites etc.



#### POWER SOURCE



9V - 32V



#### ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (L×H×D)		BOX QTY.
		(INCH)	(MM)	
LED/515	55062	4-1/4 × 5-13/32 × 2-27/32	108 × 138 × 72	20

**По вопросам продаж и поддержки обращайтесь:**

Алматы (7273)495-231	Казань (843)206-01-48	Новокузнецк (3843)20-46-81	Смоленск (4812)29-41-54
Архангельск (8182)63-90-72	Калининград (4012)72-03-81	Новосибирск (383)227-86-73	Сочи (862)225-72-31
Астрахань (8512)99-46-04	Калуга (4842)92-23-67	Омск (3812)21-46-40	Ставрополь (8652)20-65-13
Барнаул (3852)73-04-60	Кемерово (3842)65-04-62	Орел (4862)44-53-42	Сургут (3462)77-98-35
Белгород (4722)40-23-64	Киров (8332)68-02-04	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Брянск (4832)59-03-52	Краснодар (861)203-40-90	Пенза (8412)22-31-16	Томск (3822)98-41-53
Владивосток (423)249-28-31	Красноярск (391)204-63-61	Пермь (342)205-81-47	Тула (4872)74-02-29
Волгоград (844)278-03-48	Курск (4712)77-13-04	Ростов-на-Дону (863)308-18-15	Тюмень (3452)66-21-18
Вологда (8172)26-41-59	Липецк (4742)52-20-81	Рязань (4912)46-61-64	Ульяновск (8422)24-23-59
Воронеж (473)204-51-73	Магнитогорск (3519)55-03-13	Самара (846)206-03-16	Уфа (347)229-48-12
Екатеринбург (343)384-55-89	Москва (495)268-04-70	Санкт-Петербург (812)309-46-40	Хабаровск (4212)92-98-04
Иваново (4932)77-34-06	Мурманск (8152)59-64-93	Саратов (845)249-38-78	Челябинск (351)202-03-61
Ижевск (3412)26-03-58	Набережные Челны (8552)20-53-41	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Иркутск (395)279-98-46	Нижний Новгород (831)429-08-12	Симферополь (3652)67-13-56	Ярославль (4852)69-52-93
Россия (495)268-04-70	Киргизия (996)312-96-26-47	Казахстан (7172)727-132	